


## Spring Start-up Instructions

### First things first:

Follow these simple steps for an easy pool opening!



**Remove** water and debris from pool cover. **Remove** and empty anchoring water bags. **Remove** cover, clean and store it.



**Clean** out skimmers and main drain. **Increase** water level to the middle of skimmer opening.



**Check** filter, pump and heater for winter damage and replace all drain plugs. **Start** filtration system.

#### Kit Contents:



#### Start-Up Kit #1 up to 10,000 gal:

- 1 pt Metal Out
- 1 lb Super Shock Plus
- 1 pt Algaecide
- 1 pt Water Clarifier
- FREE 10 pk Test Strips

#### Start-Up Kit #2 up to 20,000 gal:

- 1 qt Metal Out
- (2) 1 lb Super Shock Plus
- 1 qt Algaecide
- 1 qt Water Clarifier
- FREE 10 pk Test Strips

#### Start-Up Kit #3 up to 30,000 gal:

- (2) 1 qt Metal Out
- (4) 1 lb Super Shock Plus
- (2) 1 qt Algaecide
- 1 qt Water Clarifier
- FREE 10 pk Test Strips

#### Kit Steps:

- 1** First, add **Doheny's Metal Out**.  
**Kit #1:** Add (6 oz) of the bottle  
**Kit #2:** Add (12 oz) of the bottle  
**Kit #3:** Add (18 oz) of the bottle  
 Let the water circulate for two hours.
- 2** Second, add **Doheny's Super Shock Plus**.  
**Kit #1:** Add one full bag (1 lb)  
**Kit #2:** Add two full bags (2 lb)  
**Kit #3:** Add four full bags (4 lb)  
 Let the water circulate for two hours.
- 3** Third, add **Doheny's Algaecide**.  
**Kit #1:** Add one full bottle (16 oz)  
**Kit #2:** Add one full bottle (32 oz)  
**Kit #3:** Add two full bottles (64 oz)  
 Let the water circulate for two hours.
- 4** Last, add **Doheny's Water Clarifier**.  
**Kit #1:** Add one full bottle (16 oz)  
**Kit #2:** Add one full bottle (32 oz)  
**Kit #3:** Add one full bottle (32 oz)  
 Let the water circulate for two hours.



#### Pool Maintenance:



Balanced pool water helps ensure that your family swims safely and that your pool and equipment are protected from corrosion and scaling. Pool water must also be sanitized so that it is free of harmful organisms and algae. Start by testing and adjusting for proper chlorine, pH, and total alkalinity levels with your Test Strips or a Test Kit with fresh reagents.

Reading	Range
Chlorine.....	1.0-3.0 ppm
pH.....	7.2-7.6
Total Alkalinity.....	125-175 ppm
Vinyl-lined, Fiberglass and Painted Pools	
Total Alkalinity.....	100-150 ppm
Gunzite Pools	