# ALSO AVAILABLE...



Important: For safety, all of our products should be used with competent supervision.



Confer Plastics, Inc., 97 Witmer Road, North Tonawanda, NY USA 14120-2421

866-396-2968 716-283-1826 www.conferladders.com email: ladders@conferplastics.com

Product and specifications subject to change without notice Patent #5,244,291 Patents Pending





THE LEADER IN LADDERS

PRINTED IN USA 12/08



## Confer Security

Confer Plastics promotes security and safety by including a padlock with every A-Frame ladder and gate we manufacture. All products include applicable warning labels and instructions to alert the swimmer of the appropriate way to use the ladder or step. However, it is important that everyone understands - there is no substitution for adult supervision.

#### NEW for 2009 from Confer Plastics . . .

Featuring the new Roll-Guard Barrier which prevents unauthorized pool entry when in the closed position and restricts access behind the ladder when in the open position. The Roll-Guard Barrier's unique roll-up-and-down design (similar to a garage door) eliminates the need to flip up or spin the outer treads of the ladder to restrict access.



#### Model 7200 Model 6100B



Roll-Guard A-Frame Safety Ladder

Standard features of the Roll-Guard Ladder:

• Large 5 inch x 18 inch wide Comfortreads

• Aesthetically pleasing contemporary design in

beautiful warm gray color to complement today's

• Curved side rails designed with strength in mind

• Inner side rails include integrated side barriers to

· Just fill side rails with water to prevent floating,

(Model 7200)

brown or gray tone pools

• Extra-large top platform

no sand or bricks needed

• Weight guideline: 300 lbs. Five year pro-rated warranty

prevent entry behind the ladder


• Easy assembly with minimal hardware

• Lockable Roll-Guard Barrier (lock included)

• Fits pool top seats up to 14 inches wide

• Adjusts to fit pools 48" to 56" tall





#### **Evolution Inpool Ladder**

- Economical, full-featured inpool ladder
- Fits decks up to **54" high**
- Snap-lock treads for quicker, easier assembly
- Five treads
- Full 16" inside tread width
- Strong sturdy design
- Minimal hardware
- No sand or bricks required; fills with water
- Attaches easily to deck; no extra parts required
- Five year pro-rated warranty
- Weight guideline: 300 lbs.
- Includes ANSI/APSP required barrier
- Optional #6100-EXT Extension Kit available



Model 635-52



#### **Economy Inpool Ladder**

- Straight Up and Down Inpool
- Does not require barrier
- Adjusts to fit deck heights 46" to 56"
- 18" Width; 22" High handrails
- Weight guideline: **250 lbs**.
- One year full warranty
- Optional EB100 extension kit available



#### Patents Pending

#### A FRAME LADDERS

#### **Innovative Solutions** From the Leader in Ladders


With over 35 years of experience, Confer Plastics leads the industry with pool and spa products that offer features and designs you won't find anywhere else. In fact, we made the first allplastic pool ladder! We've put that experience to work to develop the best line of above ground pool ladders on the market.

Featuring products such as the revolutionary Pool Entry System and Confer-Step, we continue to provide a wider selection of models than our competition. These systems were carefully designed to provide safety and ease-of-use when entering and exiting the pool, perfectly suited to elderly or handicapped swimmers.

So take a look at what our innovations offer, and you'll see why Confer Plastics is the leader in ladders.




#### Model 6000B



#### Heavy-Duty Inpool Ladder

- Five large treads
- Treads measure 5" x 18" wide
- 22" high handrails; 9-1/2" span
- All-plastic construction
- Weight guideline: 300 lbs.
- Adjusts to fit deck heights 42" to 56"
- · Five year pro-rated warranty
- Includes ANSI/APSP required barrier
- Optional #6000-EXT Extension Kit available

#### Model 7100B







### **Evolution A-Frame Ladder (Model 7100B)**

• Economical yet full-featured A-Frame Ladder • Adjustable to fit 48" to 54" high pools

• Each side adjusts independently

• Snap-lock treads for quicker, easier assembly

• Five treads on each side

• Swing-up outer treads for safety

• Outer treads can be padlocked (padlock included)

• Full 16" inside tread width

Strong sturdy design

Large top platform

Minimal hardware

 No sand or bricks required; fills with water

• Five year pro-rated warranty

• Weight guideline: 300 lbs.

Padlock included

Convertible to Inpool Ladder using #CK7100 kit sold separately.



#### The Eliminator Ladder (Model 7000B)

• Eliminator A-Frame Ladder for 48" to 54" pools

Heavy-duty construction

· Outside treads swing up into an upright position for security

• No sand or bricks required to prevent floating; fills with water

• Outer treads can be padlocked (cable lock included)

• Weight guideline: 300 lbs.

• Treads measure 5" x 18" wide

• Five year pro-rated warranty

Convertible to Inpool Ladder using #CK100 kit sold separately



Models 7100B and 7000B include required ANSI/APSP anti-entrapment barrier.


Confer Step



Model 8000



# **Enclosure System**



The Enclosure System provides security first, by enclosing the steps with

pickets, and secondly, with its self-closing, self-latching gate. It meets

Allows two #Step-1 units to be joined together, enclosed, and gated to

restrict access by small children. Kit consists of connecting step,

connecting rails, enclosure pickets and rails, and a self-closing,

self-latching gate (includes automatic gate closer)

Note: For best results place outside step units on

current BOCA codes and satisfies most building inspectors.

Pool Entry System



#### Confer-Step

#### Designed for easy pool entry

Model #STEP-1

- Inpool Step for 48" to 58" pools and decks
- Easy, snap-together assembly
- Large, flat steps each with 270 square inches of surface area
- Compact packaging can be shipped by UPS-FEDEX
- Includes mounting brackets to fasten to deck
- Side openings help to reduce algae growth under unit
- Weight guideline: 400 lbs
- Five year pro-rated warranty
- Requires 40 pounds of sand for installation

Note: The Confer-Step is designed for use in flat-bottom pools only. Our Pool Entry System can be adjusted to fit most dished-bottom pools.

Pg. 5

Projection into pool .... 32" Height to top step......45" Width..... 31" Step dimension...... 10" x 27"

Riser height.....11"

Handrail height......38" from top step

Specs subject to change without notice. (all specs are approximate)

#### Model 8000 Entry Ladder **Economical Entry/Exit System**

Model #8000 Entry Ladder

- When combined with #Step-1 it forms an economical Entry/Exit System for 48" to 54" pools
- Outside treads swing up into an upright position for security
- 18" wide: 22"high handrail, 9-1/2" span
- Weight guideline: 300 lbs.
- Cable lock included

To make the complete Entry/Exit System you will need to purchase both:

- (1) #Step-1

(total of 2 cartons)

(1) #8000 Entry Ladder

The Confer-Step offers elderly and heavier

swimmers an alternative to the Inpool

or A-Frame ladders, making access to

the pool easier.

To make the complete system you will need: (2) #Step-1 units (2 cartons)

(1) #Step-ENC kit w/gate (2 cartons) (total of 4 cartons)

Model #Step-Enc

level patio blocks.

# NEW!!

Now with AUTOMATIC GATE CLOSER!

#### New Features

The all new Automatic Gate Closer from Confer Plastics is piece of mind for you and your family. The Gate Closer is included with our gate system that is offered for the Pool Entry System and our popular Step-1 above ground pool steps.

#### An excellent system for safety and convenience.

- Meets **ANSI/APSP** standards
- Adjusts to fit 48" to 54" pools and decks
- Adjusts to fit most uneven or dished-bottom pools
- Top step covers the pool top seat in most installations
- Easy assembly; no metal parts
- Does not attach to pool
- Side openings help to reduce algae growth under unit
- Excellent for elderly, slightly handicapped, or heavy swimmers
- Non-slip step surfaces
- Large, flat steps each with 270 square inches of surface
- Includes deck connector
- Fills with water to prevent floating; no sand needed
- Weight guideline: 400 lbs.
- Five year, pro-rated warranty
- Includes Automatic Gate Closer

#### Pool Entry System Specifications:

Projection into pool Step dimension 10" x 27" Handrail height 32" from ton ster Specifications subject to change without notice (all specifications are approximate)

Height of gate Gate is self closing self latching (all specifications are approximate)

Gate Specifications:

Available in following configurations: Model #PES-1 - Individual Entry System for use off of a deck Model #PES-DBL - Two Entry Systems with gate for use on pools without a deck