


# Value Kits

## Spring Start-up Instructions

### **First** things first:

Follow these simple steps for an easy pool opening!



Remove water and debris from pool cover. Remove and empty anchoring water bags. Remove cover, clean and store it.



Clean out skimmers and main drain. Increase water level to the middle of skimmer opening.



Check filter, pump and heater for winter damage and replace all drain plugs. Start filtration system.

#### **Kit Contents:**



#### Start-Up Kit #1 up to 10,000 gal:

- 1 pt Metal Out
- 1 lb Super Shock Plus
- 1 pt Spring Algaecide
- 1 pt Water Clarifier
- FREE 10 pk Test Strips

#### Start-Up Kit #2 up to 20,000 gal:

- 1 gt Metal Out
- (2) 1 Ib Super Shock Plus
- 1 qt Spring Algaecide
- 1 of Water Clarifier
- FREE 10 pk Test Strips

#### Start-Up Kit #3 up to 30,000 gal:

- (2) 1 qt Metal Out
- (4) 1 lb Super Shock Plus
- (2) 1 qt Spring Algaecide
- 1 gt Water Clarifier FREE 10 pk Test Strips

#### **Kit Steps:**

First, add Doheny's Metal Out. Kit #1: Add (6 oz) of the bottle Kit #2: Add (12 oz) of the bottle Kit #3: Add (18 oz) of the bottle Let the water circulate for two hours.

Second, add Doheny's Super Shock Plus. Kit #1: Add one full bag (1 lb) Kit #2: Add two full bags (2 lb) Kit #3: Add four full bags (4 lb) Let the water circulate for two hours.

Third, add Doheny's Spring Algaecide. Kit #1: Add one full bottle (16 oz)

Kit #2: Add one full bottle (32 oz) Kit #3: Add two full bottles (64 oz) Let the water circulate for two hours.

Last, add Doheny's Water Clarifier. Kit #1: Add one full bottle (16 oz) Kit #2: Add one full bottle (32 oz) Kit #3: Add one full bottle (32 oz) Let the water circulate for two hours.













Balanced pool water helps ensure that your family swims safely and that your pool and equipment are protected from corrosion and scaling. Pool water must also be sanitized so that it is free of harmful organisms and algae. Start by testing and adjusting for proper chlorine, pH, and total alkalinity levels with your Test Strips or a Test Kit with fresh reagents.

Reading	Range
Chlorine	1.0-3.0 ppm
рН	7.2-7.6
Total Alkalinity Vinyl-lined, Fibergla	125-175 ppm ss and Painted Pools
Total Alkalinity Gunzite Pools	100-150 ppm